

**DESIGNER FIBERGLASS**



*8' Horizontal V-Groove panel, Natural Oak finish, Vertical windows*

**DOOR FEATURES**

**Pinch-Resistant Door Panels**


Help prevent finger injuries while the door is closing. Snug fitting tongue-and-groove section joints reduce wind and weather from entering the garage.


**Foamed-In-Place Polyurethane Insulation**

Provides thermal efficiency with an R-value\* of 7.6, helps block street noise and makes the door operate more quietly.

**Bottom Weather Seal**

This bulb shaped seal blocks draft and debris from entering the garage.



- High Cycle Spring Option**  
Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring
- TorqueMaster® Plus Counterbalance System**  
Contains springs safely inside a steel tube to prevent accidental release of tension that could cause injury and features anti-drop safety technology
- Wind Load Options**   
Model 9800 is available with hardware and reinforcements to comply with building codes in regions with high winds
- Limited Lifetime Warranty**


\*Wayne Dalton uses a calculated door section R-value for our insulated doors.

\*\*Available for Vertical Raised, Horizontal Raised and Horizontal V-Groove panels up to 9'x8' and Sonoma panel up to 9'x7'.




# 1 Choose Your Style


Horizontal Raised




Vertical Raised



Sonoma



Horizontal V-Groove\*



Available in Oak wood-grain pattern



Available in Oak wood-grain pattern



Available in Cherry wood-grain pattern



Available in Mahogany wood-grain pattern

Larger sized doors are available (up to 14' high and 18' wide) depending on panel style.

\*Doors over 9' wide have a vertical seam added for support.


# 2 Choose Your Color



White



Gray



Clay



Natural Oak



Honduran Mahogany



Cherry



Red Oak



Mahogany



Walnut



Green

Stain samples shown above on Oak wood-grain pattern. Actual colors may vary slightly from brochure due to fluctuations in staining, grain or the printing process. Always request a color sample from your dealer for accurate color matching.

A top clear coat may need to be reapplied periodically to maintain the factory finish.

### 3 Choose Your Window

For Horizontal Raised and Horizontal V-Groove panels



For Vertical Raised panels



For Horizontal V-Groove panels



For Sonoma panel




Plain Lite




6 Lite




8 Lite



16 Lite



20 Lite



12 Lite

Not all windows available for all panel designs. Window configuration may vary depending on door size. See Dealer or website for complete window selection.

Optional window placement



Windows may be arranged vertically or horizontally. Up to 50% of the door can include windows. Windows placed in the bottom section of the door must have DSB 1/8", or tempered, or 1/2" insulated glass.

Glass Options



Clear



Gray Tinted



Green Tinted



Bronze Tinted




Obscure



Satin Etched Privacy

Insulated option available for Horizontal and Vertical Raised panels. Obscure glass not available on Sonoma panels.


### 4 Choose Your Hardware



Arrow



Barcelona



Spear

Please visit our website at [wayne-dalton.com](http://wayne-dalton.com) for a complete selection of hardware.



AFTER

BEFORE



*7' Sonoma panel, Red Oak finish, 32 Lite Square windows, Decorative hardware*



## Garage Door Design Center

To see this door on your home, visit [wayne-dalton.com](http://wayne-dalton.com), or download our Garage Door Design Center app. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.

**Wayne Dalton**  
GARAGE DOORS

DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200  
Lewisville, TX 75067

[wayne-dalton.com](http://wayne-dalton.com)



© 2020 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item W900-1247 10/20